




Ceiling Lights | 220-240 V | 1xGU10
59434



Technical data

Installation position	Ceiling
Installation environment	Indoor
Lamp cap	1 x GU10 Max
Optic	Diffused
Safety class	2
IP	IP40
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Emergency mode	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No

Finishing casing

Material	Aluminium
Colour	White RAL 9003
Processing	Coating

Finishing mounting frame

Material	Aluminium
Colour	White RAL 9003
Processing	Coating



Ceiling Lights | 220-240 V | 1xGU10
59434

Single emission ceiling lights for indoor application. Compatibility:, halogen 35 W; lamp cap 1xGU10.

The device body is made of aluminium and features a white ral 9003 finish, processed by means of coating; the mounting frame is made of aluminium, with a white ral 9003 finish, processed by means of coating. The ingress protection degree is IP40; the total weight is of 0.44 kg.

The device features protection class II and can be ceiling-mounted.

Illuminotechnical Features

Luminous flux (source)	230 lm
Colour temperature	2700 K
Colour rendering index	100 Ra