
Pelota_P




Pendant Luminaires | 220-240 V | 1xGU10 **6835**



Technical data	
Installation position	Ceiling
Installation environment	Indoor
Lamp cap	1 x GU10 Max
Frequency	50-60 Hz
Optics	spot
Light emission direction	downward
Safety class	1
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Fire Rated (BS 476 PT21 compliant)	No
Induction	No
Emergency mode	No
Motion sensor	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Type of light emission	Single emission
Net weight	0.650 Kg





Finishing casing	
Material	Iron
Processing	Coating

Pelota_P



Pendant Luminaires | 220-240 V | 1xGU10 **6835**

Single emission pendant luminaires for indoor application. Compatibility: LED lamp, halogen 42 W; lamp cap 1xGU10.

The device body is made of iron, processed by means of coating; the mounting frame is made of iron, processed by means of coating. The ingress protection degree is IP20; the total weight is of 0.650 kg.

The device features protection class I and can be ceiling-mounted.

Illuminotechnical Features	
Luminous flux (source)	300 lm
Colour temperature	2800 K
Colour rendering index	100 Ra