




Systems | 220-240 V | 1xE27
8656



Technical data	
Type	Mono System
Installation position	Wall lights
Installation environment	Indoor
Lamp cap	1 x E27 Max 46W
Optics	General Lighting
Light emission direction	downward
Safety class	2
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Fire Rated (BS 476 PT21 compliant)	No
Driver included	Driver
Induction	No
Emergency mode	No
Motion sensor	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Type of light emission	Double emission
Net weight	1.230 Kg

Finishing casing	
Material	PC
Colour	white

Finishing diffuser	
Material	PE
Colour	neutral



Systems | 220-240 V | 1xE27
8656

Double emission systems for indoor application. Compatibility: LED lamp, halogen 46 W, compact fluo 30 W; lamp cap 1xE27.

The device body is made of PC and features a white finish; the diffuser is made of pe. The ingress protection degree is IP20; the total weight is of 1.230 kg.

The device features protection class II and can be wall lights-mounted.

Illuminotechnical Features	
Light Output Ratio (LOR)	100 %
Luminous flux (source)	700 lm
Luminaire luminous flux	638 lm
Consumption	11 W
Luminaire efficacy	58 lm/W
Colour temperature	2800 K
Colour rendering index	100 Ra

UGR	
X=4H Y=8H	S=0.25H
Reflection factor	70/50/20
UGR transversal	< 16
UGR axial	< 16

OPTICAL	
Light distribution simmetry	Symmetrical
C0/C180 optics	180°