# FLOS


### AIM

| Mounting                | Pendant  |
|-------------------------|--|
| Type of ceiling pendant | Suspension cable   |
| Lamps description       | I MULTICHIP LED 2700K 1250lm CRI 90 - 16W  |
| Environment             | Indoor   |
| Finish                  | Anodized brown, White, Black   |
| Technical description   | Suspended light fitting. Body in varnished aluminium sheet,<br>shade in photo-etched optical polycarbonate. Internal reflector<br>in photo-etched ABS. Directionable body. Powered directly<br>from mains. The LED can be dimmed with a «Triac for Led<br>» dimmer approved by Flos.Flos does not respond in case of<br>wrong electrical connection system installations. The cable has<br>a useful length of 9 metres and thus the lamp can be suspended<br>3 metres from the ceiling. Multiple rose with capacity to<br>connect up to 5 Aims also available. |
| ELECTRICAL              |  |
| Emergency               | Without  |



## AIM

designed by R. & E. Bouroullec




DIMENSIONS


## PHYSICAL

| Supply                | Terminal block               |
|-----------------------|------------------------------|
| Cord length (mm)      | 9000/3000                    |
| Construction material | ABS, Aluminum, Polycarbonate |
| Weight (kg)           | 3,2 (x1 AIM)                 |









## FLOS

## **AIM** . Accessories

Electrical





Multiple rose



Multiple rose




AIM designed by R. & E. Bouroullec Suspended light fitting. F0090009 White F0090030 Black

Anodized brown

and a mar

RF22227



## CERTIFICATIONS

Æ

PENDIN

F0090026

DIMENSIONS





# FLOS

### AIM . Lamps



MULTICHIP LED 2700K 12501m CRI 90 - 16W Lamp wattage: 16 W

Lamp category:

LED

Socket:


Special base Color temperature (K):

2700 °K Lamp type:


LED



## AIM designed by R. & E. Bouroullec Suspended light fitting.



DIMENSIONS




#### CERTIFICATIONS

Æ

PENDIN







www.flos.com info@flos.it