



PLASTRA 25 PD

indoor pendant, TCR-TSE, white, 11W

Article number	1002047
Product family	PLASTRA
Feed-in capability	No
Lampholder / Socket	GX53
Number of light sources	1
Lamp included	No
Height	17 cm
Diameter	22 cm
Pendant length	150 cm
Net weight	2.775 kg
Gross weight	3.471 kg
Voltage	230V ~50Hz
Max. wattage	11 Watt
Protection class	I
Material	Plaster/steel
Colour	white
Energy efficiency class	A++
Form	spherical
Lamp	TCR-TSE
Light distribution type 1	direct
Light distribution type 2	axis symmetric

Articles of this series

148001	PLASTRA 105, ceiling light, TC-DSE, round, white plaster, max. 50 W
148002	PLASTRA 104, ceiling light, TC-DSE, square, white plaster, max. 50 W
148004	PLASTRA, ceiling light, QPAR51, square, white plaster, max. 35 W
148010	PLASTRA wall light, square, 100 Slot, white plaster, E14, max. 40 W
148011	PLASTRA 103, wall light, C35, square, white plaster, max. 8 W
148012	PLASTRA 102 CURVE, wall light, white plaster, QT-DE12, max. 100 W
148013	PLASTRA 101, wall light, C35, half-round, white plaster, max. 40 W
148015	PLASTRA, wall light, QPAR51, square, white plaster, up/down, max. 35 W
148016	PLASTRA 104, wall light, QT14, round, white plaster, QT14, max. 42 W
148017	PLASTRA, wall light, TC-(D,H,T,Q)SE, 105 Torch, white plaster, max. 40 W
148018	PLASTRA wall light, QPAR51, square, Cube, white plaster, max. 42 W
148019	PLASTRA SQUARE, wall light, LED strip, 3000K, square, white plaster max. 10.8 W
148040	PLASTRA PD-1 pendant, LED GX53, white plaster, 9 W
148041	PLASTRA, CONE pendant, TCR-TSE, trapezoidal-shaped, white plaster
148042	PLASTRA, pendant, LED GU10 51 mm, round, white plaster,
148051	PLASTRA BOX, ceiling light, single-headed, QPAR51, square, white plaster, max. 35 W
148052	PLASTRA BOX, ceiling light, double-headed, QPAR51, square, white plaster, max. 70 W
148053	PLASTRA BOX, ceiling light, triple-headed, QPAR51, square, white plaster, max. 105 W
148060	PLASTRA wall light, QPAR51, round, tube, white plaster, max. 70W

148061	PLASTRA wall light, TCR-TSE, Cone, white, max. 11W
148070	PLASTRA, recessed fitting, QPAR51, round, white plaster, max. 35W
148071	PLASTRA, recessed fitting, QPAR51, square, white plaster, max. 35W
148072	PLASTRA, recessed fitting, QPAR51, square, indirect, white plaster, max. 35W
148062	PLASTRA, wall light, LED, 3000K, curved, up/down, white plaster, dimmable
148091	PLASTRA, wall light, LED, 3000K, round, white plaster, Ø 30cm
1000782	PLASTRA, pendant, TCR-TSE, white, plaster, max. 11W
148005	PLASTRA, ceiling light, LED, white, plaster, 3000K
1001271	PLASTRA, wall light, LED, 3000K, up/down, steel /white plaster, max. 35W

The PLASTRA 25 PD plaster light is a highly individual pendant with a pure, clear form. Prepared for holding GX53 energy-saving or LED lamps, it is ready for direct connection to a 230V mains voltage supply. After priming, the luminaire can be painted with wall paint as desired. This luminaire is compatible with bulbs in energy classes: B - A++

Notes
