




SLV LIGHT EYE BALL pendant

LED GU10, brass, black textile cable, brass ceiling plate, 5W



Article number	133493
Product family	Light Eye 90
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Height	9.4 cm
Diameter	8.9 cm
Pendant length	150 cm
Net weight	0.34 kg
Gross weight	0.408 kg
Voltage	230V ~50Hz
Max. wattage	5 Watt
Protection class	I
Energy efficiency class	A++
Light distribution type 1	direct
Catalogue page	BIG WHITE 2019: 50
Lamp	LED GU10 51mm
Colour	Brass
Form	spherical
Material	steel
Way of mounting	Surface mounted / Ceiling mounted

Articles of this series

133490	LIGHT EYE BALL, pendant, LED GU10, black/chrome, black textile cable, black/chrome ceiling plate, 5W
133491	LIGHT EYE BALL pendant, LED GU10, white/chrome, clear cable, white/chrome ceiling plate, 5W
133495	LIGHT EYE BALL pendant, LED GU10, fern-green, clear cable, fern-green ceiling plate, 5W
133499	LIGHT EYE BALL pendant, LED GU10, brushed copper, black textile cable, brushed copper ceiling plate, 5W
136184	LIGHT EYE, spot for LINUX LIGHT, QR51, chrome, max. 50W
144010	LIGHT EYE spot for 240V 1-phase track, QPAR51, black / chrome, max. 50W, incl. 1-phase adapter, black
144011	LIGHT EYE spot for 240V 1-phase track, QPAR51, white / chrome, max. 50W, incl. 1-phase adapter, white
144013	LIGHT EYE spot for 240V 1-phase track, QPAR51, brass, max. 50W, incl. 1-phase adapter, black
144015	LIGHT EYE spot for 240V 1-phase track, QPAR51, fern-green, max. 50W, incl. 1-phase adapter, white
144019	LIGHT EYE spot for 240V 1-phase track, QPAR51, copper colour, max. 50W, incl. 1-phase adapter, black
144020	LIGHT EYE, pendant for 240V 1-phase track, LED GU10, black / chrome, black textile cable, 5W, incl. 1-phase adapter, black
144021	LIGHT EYE, pendant for 240V 1-phase track, LED GU10, white / chrome, transparent cable, 5W, incl. 1-phase adapter, white
144023	LIGHT EYE, pendant for 240V 1-phase track, LED GU10, brass, black textile cable, 5W, incl. 1-phase adapter, black
144025	LIGHT EYE, pendant for 240V 1-phase track, LED GU10, fern-green, transparent cable, 5W, incl. 1-phase adapter, white
144029	LIGHT EYE, pendant for 240V 1-phase track, LED GU10, copper colour, black textile cable, 5W, incl. 1-phase adapter, black
149060	LIGHT EYE 1 wall and ceiling light, single-headed, QPAR51, black/chrome, max. 50W
149061	LIGHT EYE 1 wall and ceiling light, single-headed, QPAR51, white/chrome, max. 50W

149062	LIGHT EYE 1 wall and ceiling light, single-headed, QPAR51, chrome, max. 50W
--------	---

149065	LIGHT EYE 1 wall and ceiling light, single-headed, QPAR51, fern-green, max. 50W
--------	---

149070	LIGHT EYE 2 wall and ceiling light, double-headed, QPAR51, black/chrome, max. 100 W
--------	---

149071	LIGHT EYE 2 wall and ceiling light, double-headed, QPAR51, white/chrome, max. 100 W
--------	---

149072	LIGHT EYE 2 wall and ceiling light, double-headed, QPAR51, chrome, max. 100 W
--------	---

149075	LIGHT EYE 2 wall and ceiling light, double-headed, QPAR51, fern-green, max. 100 W
--------	---

185692	LIGHT EYE, spot for 240V track EASYTEC II, QPAR51, chrome, max. 50W
--------	---

149069	LIGHT EYE 1 wall and ceiling light, single-headed, QPAR51, copper, max. 50W
--------	---

149079	LIGHT EYE 2 wall and ceiling light, double-headed, QPAR51, copper, max. 2x50W
--------	---

184690	LIGHT EYE, spot for 240V track EASYTEC II, QPAR51, black, max. 50W
--------	--

184691	LIGHT EYE, spot for 240V track EASYTEC II, QPAR51, white, max. 50W
--------	--

The popular design of the LIGHT EYE series, as pendant for use with GU10 type high-voltage halogen lamps. The pendant, which has a suspension length of 150 cm, is available with a number of differently coloured housings. The LIGHT EYE BALL pendant is ready for direct connection to the 230V mains supply.

Notes
