





PLASTRA 104

wall light, QT14, round, white plaster, QT14, max. 42 W

Article number	148016
Product family	PLASTRA
Feed-in capability	No
Lampholder / Socket	G9
Number of light sources	1
Lamp included	No
Width	11 cm
Height	12 cm
Depth	10.5 cm
Net weight	0.967 kg
Gross weight	1.113 kg
Voltage	230V ~50Hz
Max. wattage	42 Watt
Protection class	I
Energy efficiency class	A+
Lamp	QT14
Colour	white
Form	round
Light distribution type 1	direct - indirect
Light distribution type 2	symmetric
Material	Plaster/steel



Articles of this series

148001	PLASTRA 105, ceiling light, TC-DSE, round, white plaster, max. 50 W
148002	PLASTRA 104, ceiling light, TC-DSE, square, white plaster, max. 50 W
148004	PLASTRA, ceiling light, QPAR51, square, white plaster, max. 35 W
148010	PLASTRA wall light, square, 100 Slot, white plaster, E14, max. 40 W
148011	PLASTRA 103, wall light, C35, square, white plaster, max. 8 W
148012	PLASTRA 102 CURVE, wall light, white plaster, QT-DE12, max. 100 W
148013	PLASTRA 101, wall light, C35, half-round, white plaster, max. 40 W
148015	PLASTRA, wall light, QPAR51, square, white plaster, up/down, max. 35 W
148017	PLASTRA, wall light, TC-(D,H,T,Q)SE, 105 Torch, white plaster, max. 40 W
148018	PLASTRA wall light, QPAR51, square, Cube, white plaster, max. 42 W
148019	PLASTRA SQUARE, wall light, LED strip, 3000K, square, white plaster max. 10.8 W
148040	PLASTRA PD-1 pendant, LED GX53, white plaster, 9 W
148041	PLASTRA, CONE pendant, TCR-TSE, trapezoidal-shaped, white plaster
148042	PLASTRA, pendant, LED GU10 51 mm, round, white plaster,
148051	PLASTRA BOX, ceiling light, single-headed, QPAR51, square, white plaster, max. 35 W
148052	PLASTRA BOX, ceiling light, double-headed, QPAR51, square, white plaster, max. 70 W
148053	PLASTRA BOX, ceiling light, triple-headed, QPAR51, square, white plaster, max. 105 W
148060	PLASTRA wall light, QPAR51, round, tube, white plaster, max. 70W
148061	PLASTRA wall light, TCR-TSE, Cone, white, max. 11W

148070	PLASTRA, recessed fitting, QPAR51, round, white plaster, max. 35W
148071	PLASTRA, recessed fitting, QPAR51, square, white plaster, max. 35W
148072	PLASTRA, recessed fitting, QPAR51, square, indirect, white plaster, max. 35W
148062	PLASTRA, wall light, LED, 3000K, curved, up/down, white plaster, dimmable
148091	PLASTRA, wall light, LED, 3000K, round, white plaster, Ø 30cm
1000782	PLASTRA, pendant, TCR-TSE, white, plaster, max. 11W
148005	PLASTRA, ceiling light, LED, white, plaster, 3000K
1001271	PLASTRA, wall light, LED, 3000K, up/down, steel /white plaster, max. 35W
1002047	PLASTRA 25 PD, indoor pendant, TCR-TSE, white, 11W

The PLASTRA 104 plaster light is a highly individual UP/DOWN wall light with a pure, clear form. Prepared for the use of one G9 halogen lamp, it is ready for direct connection to 230V mains supply. The sandpaper included as part of the delivery is used to clean the surfaces. After priming, the luminaire can be painted with wall paint as desired. This luminaire is suitable for lamps of energy classes: D - A+

Notes
