


PLASTRA

recessed fitting, QPAR51, square, white plaster, max. 35W

Article number	148071
Product family	PLASTRA
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Installation length	11.5 cm
Installation width	11.5 cm
Installation depth	14 cm
Length	13 cm
Width	13 cm
Height	14.5 cm
Net weight	0.681 kg
Gross weight	0.803 kg
Voltage	220-240V ~50/60Hz
Max. wattage	35 Watt
Protection class	II
Energy efficiency class	A++
Lamp	QPAR51
Colour	white
Form	square
Light distribution type 1	direct
Material	Plaster/steel



Articles of this series

148001	PLASTRA 105, ceiling light, TC-DSE, round, white plaster, max. 50 W
148002	PLASTRA 104, ceiling light, TC-DSE, square, white plaster, max. 50 W
148004	PLASTRA, ceiling light, QPAR51, square, white plaster, max. 35 W
148010	PLASTRA wall light, square, 100 Slot, white plaster, E14, max. 40 W
148011	PLASTRA 103, wall light, C35, square, white plaster, max. 8 W
148012	PLASTRA 102 CURVE, wall light, white plaster, QT-DE12, max. 100 W
148013	PLASTRA 101, wall light, C35, half-round, white plaster, max. 40 W
148015	PLASTRA, wall light, QPAR51, square, white plaster, up/down, max. 35 W
148016	PLASTRA 104, wall light, QT14, round, white plaster, QT14, max. 42 W
148017	PLASTRA, wall light, TC-(D,H,T,Q)SE, 105 Torch, white plaster, max. 40 W
148018	PLASTRA wall light, QPAR51, square, Cube, white plaster, max. 42 W
148019	PLASTRA SQUARE, wall light, LED strip, 3000K, square, white plaster max. 10.8 W
148040	PLASTRA PD-1 pendant, LED GX53, white plaster, 9 W
148041	PLASTRA, CONE pendant, TCR-TSE, trapezoidal-shaped, white plaster
148042	PLASTRA, pendant, LED GU10 51 mm, round, white plaster,
148051	PLASTRA BOX, ceiling light, single-headed, QPAR51, square, white plaster, max. 35 W
148052	PLASTRA BOX, ceiling light, double-headed, QPAR51, square, white plaster, max. 70 W
148053	PLASTRA BOX, ceiling light, triple-headed, QPAR51, square, white plaster, max. 105 W
148060	PLASTRA wall light, QPAR51, round, tube, white plaster, max. 70W

148061	PLASTRA wall light, TCR-TSE, Cone, white, max. 11W
148070	PLASTRA, recessed fitting, QPAR51, round, white plaster, max. 35W
148072	PLASTRA, recessed fitting, QPAR51, square, indirect, white plaster, max. 35W
148062	PLASTRA, wall light, LED, 3000K, curved, up/down, white plaster, dimmable
148091	PLASTRA, wall light, LED, 3000K, round, white plaster, Ø 30cm
1000782	PLASTRA, pendant, TCR-TSE, white, plaster, max. 11W
148005	PLASTRA, ceiling light, LED, white, plaster, 3000K
1001271	PLASTRA, wall light, LED, 3000K, up/down, steel /white plaster, max. 35W
1002047	PLASTRA 25 PD, indoor pendant, TCR-TSE, white, 11W

With the PLASTRA recessed fitting, you have a highly-personalised plaster recessed luminaire with a puristic, clear shape. Prepared to take a GU10 halogen or retrofit LED bulb, it is ready for direct connection to the 230V mains supply. The sandpaper included as part of the delivery is used to clean the surfaces. After priming, the luminaire can be painted with wall paint as desired.

Notes
