


TENORA

table lamp, A60, round, white shade, max. 60W

Article number	156041
Product family	Tenora
Feed-in capability	No
Lampholder / Socket	E27
Number of light sources	1
Lamp included	No
Height	48.5 cm
Diameter	25 cm
Net weight	1.51 kg
Gross weight	2.549 kg
Voltage	230V ~50Hz
Max. wattage	60 Watt
Protection class	I
Energy efficiency class	A++
Catalogue page	BIG WHITE 2018: 83
Light distribution type 1	direct - indirect
Light distribution type 2	rotationally symmetric
Lamp	A60
Colour	white
Form	round
Material	Steel/textile
Type of plug	2 pin Schuko plug and mains plug
Way of mounting	Portable



Articles of this series

156000 TENORA CL-2, ceiling light, A60, round, black shade Ø/H 39/30 cm, with double swivel arm, max. 60W

156001 TENORA CL-2, ceiling light, A60, round, white shade Ø/H 39/30 cm, with double swivel arm, max. 60W

156010 TENORA WL-2, wall light, A60, round, black shade Ø/H 25/19 cm, with double swivel arm, max. 60W

156011 TENORA WL-2, wall light, A60, round, white shade Ø/H 25/19 cm, max. 60W, with double swivel arm, max. 60W

156020 TENORA WL-1, wall light, A60, round, black shade, Ø/H 20/16.5, max. 60W

156021 TENORA WL-1, wall light, A60, round, white shade, Ø/H 20/16.5, max. 60W

156030 TENORA FL-1, floor stand, A60, round, black shade, max. 60W

156031 TENORA FL-1, floor stand, A60, round, white shade, max. 60W

156040 TENORA, table lamp, A60, round, black shade, max. 60W

156050 TENORA CL-1, ceiling light, TC-(D,H,T,Q)SE, round, black shade Ø/H 50/15 cm, max. 69W

156051 TENORA CL-1, ceiling light, TC-(D,H,T,Q)SE, round, white shade Ø/H 50/15 cm, max. 69W

156060 TENORA PD-1, pendant, A60, round, black shade, max. 60W

156061 TENORA PD-1, pendant, A60, round, white shade, max. 60W

The shapely TENORA table lamp sets accents when used on its own or when used in combination with TENORA wall and ceiling lights and floor stands. With its built-in E27 socket, the luminaire is suitable for both LED and energy-saving lamps. The TENORA is delivered with a connection lead, mains plug and integrated foot switch. The product is ready to be directly connected to the 230V supply.

Notes

