# THEO

outdoor wall light, QPAR51, IP44, square, up/down, white, max. 70W







| | |
|---|---|
| Article number | 229531 |
| Product family | Theo |
| Feed-in capability | No |
| Lampholder / Socket | GU10 |
| Number of light sources | 2 |
| Lamp included | No |
| Width | 7 cm |
| Height | 22.5 cm |
| Depth | 7.5 cm |
| Net weight | 0.837 kg |
| Gross weight | 0.917 kg |
| Voltage | 220-240V ~50/60Hz |
| Max. wattage | 35 Watt |
| Protection class | I |
| IP-rating | IP 44 |
| Energy efficiency class | A++ |
| Way of mounting | Surface mounted / Wall mounted |
| Lamp | QPAR51 |
| Colour | white |
| Form | square |
| Light distribution type 1 | direct - indirect |
| Material | Aluminium/glass |

Articles of this series

| | |
|---|---|
| 152081 | THEO, wall light, QPAR51, square, up/down, white, max. 100 W |
| 152082 | THEO, wall light, QPAR51, square, up/down, silver-grey, max. 100 W |
| 152089 | THEO, wall light, QPAR51, square, up/down, brushed aluminium, max. 100 W |
| 229521 | THEO WALL, outdoor wall light, QPAR51, IP65, square, white, max. 35W |
| 229524 | THEO WALL, outdoor wall light, QPAR51, square, silver-grey, max. 35W |
| 229525 | THEO WALL, outdoor wall light, QPAR51, square, anthracite, max. 35W |
| 229532 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, silver-grey, max. 70W |
| 229535 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, anthracite, max. 70W |
| 229536 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, brushed aluminium, max. 70W |
| 229581 | THEO, outdoor ceiling light, QPAR51, IP23, square, white, max. 35W |
| 229584 | THEO, outdoor ceiling light, QPAR51, IP23, square, silver-grey, max. 35W |
| 229585 | THEO, outdoor ceiling light, QPAR51, IP23, square, anthracite, max. 35W |
| 1000327 | THEO UP/DOWN, QPAR51, wall light, white, max. 2x50W |
| 1000328 | THEO UP/DOWN, QPAR51, wall light, silver-grey, max. 2x50W |
| 1000329 | THEO UP/DOWN, QPAR51, wall light, brushed aluminium, max. 2x50W |
| 1000331 | THEO UP/DOWN, QPAR51, outdoor wall light, natural aluminium, max. 2x50W, IP44 |
| 1000330 | THEO UP/DOWN, wall light, QPAR51, anthracite, max. 2x50W |

Wall light of the THEO series is made from aluminium and glass, which covers the lamp. Thanks to the position of the two sockets which are fitted, the mounted luminaire produces two equal but opposite cones of light (UP/DOWN). It is suitable for use outdoors thanks to its IP44 protection class. The electrical connection of the luminaire, which comes in three colours, is directly to the 230V mains supply. The THEO series contains other ceiling lights can therefore be used universally. This luminaire is suitable for lamps of energy classes: E - A++

Notes