





SLV THEO

outdoor ceiling light, QPAR51, IP23, square, white, max. 35W



Article number	229581
Product family	Theo
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Width	7 cm
Height	14 cm
Depth	7 cm
Net weight	0.516 kg
Gross weight	0.61 kg
Voltage	230V ~50Hz
Max. wattage	35 Watt
Protection class	I
IP-rating	IP 21
Energy efficiency class	A++
Way of mounting	Surface mounted / Ceiling mounted
Lamp	QPAR51
Colour	white
Form	square
Light distribution type 1	direct
Material	Aluminium/glass

Articles of this series

152081	THEO, wall light, QPAR51, square, up/down, white, max. 100 W
152082	THEO, wall light, QPAR51, square, up/down, silver-grey, max. 100 W
152089	THEO, wall light, QPAR51, square, up/down, brushed aluminium, max. 100 W
229521	THEO WALL, outdoor wall light, QPAR51, IP65, square, white, max. 35W
229524	THEO WALL, outdoor wall light, QPAR51, square, silver-grey, max. 35W
229525	THEO WALL, outdoor wall light, QPAR51, square, anthracite, max. 35W
229531	THEO, outdoor wall light, QPAR51, IP44, square, up/down, white, max. 70W
229532	THEO, outdoor wall light, QPAR51, IP44, square, up/down, silver-grey, max. 70W
229535	THEO, outdoor wall light, QPAR51, IP44, square, up/down, anthracite, max. 70W
229536	THEO, outdoor wall light, QPAR51, IP44, square, up/down, brushed aluminium, max. 70W
229584	THEO, outdoor ceiling light, QPAR51, IP23, square, silver-grey, max. 35W
229585	THEO, outdoor ceiling light, QPAR51, IP23, square, anthracite, max. 35W
1000327	THEO UP/DOWN, QPAR51, wall light, white, max. 2x50W
1000328	THEO UP/DOWN, QPAR51, wall light, silver-grey, max. 2x50W
1000329	THEO UP/DOWN, QPAR51, wall light, brushed aluminium, max. 2x50W
1000331	THEO UP/DOWN, QPAR51, outdoor wall light, natural aluminium, max. 2x50W, IP44
1000330	THEO UP/DOWN, wall light, QPAR51, anthracite, max. 2x50W

The ceiling light of the THEO series is made from aluminium and glass, which covers the lamp. It is suitable for use outdoors thanks to its IP23 protection class. The electrical connection of the luminaire, which comes in various colours, is directly to the 230V mains supply. The THEO series also contains wall lights and can therefore be used universally. This luminaire is suitable for lamps of energy classes: E - A++

Notes
